




PIN	SIGNAL	PIN	SIGNAL
A12	GND	B1	GND
A11		B2	
A10		B3	
A9	VBUS	B4	VBUS
A8	SBU1	B5	CC2
A7	Dn1	B6	Dp2
A6	Dp1	B7	Dn2
A5	CC1	B8	SBU2
A4	VBUS	B9	VBUS
A3		B10	
A2		B11	
A1	GND	B12	GND

受控文件

NO.	Items	L6.5 (mm)
1	Dim. A	4.60
2	Dim. B	6.50
3	Dim. C	3.80
4	Dim. D	0.8/1.1

1. Material & Finish: See the list;
2. Mechanical:
 - 2.1. Mating force: 5-20Nf;
 - 2.2. Unmating force: Initial: 8-20Nf; Final: 6-20Nf;
 - 2.3. Durability: 10000 Cycles;
3. Electrical:
 - 3.1. Current Rating:
VBus Pins: 5A, Vconn Pin: 1.25A, Other Pins: 0.25A;
 - 3.2. Voltage Rating: 20V Max.;
 - 3.3. Dielectric Withstanding voltage: 100Vac, 60S, 10mA;
 - 3.4. Contact resistance: 40m Ohms Max.;
 - 3.5. Insulation Resistance: 100M Ohms Min.;
4. Environmental:
 - 4.1. Operating temperature: -40° C ~ +85° C;
 - 4.2. Salt Spray Test: 48H Min. (No oxidation or rust);
 - 4.3. Wetting Temperature: 265±5° C, 5±0.5s

NO.	PART NAME	Q' TY	MATERIAL	FINISH
5	Shell	1	SUS304-1/2H, T=0.30mm	50u"Ni Min.
4	GroundBar	1	SUS301-1/2H, T=0.15mm	No Plating
3	Down Contact	8	C7025 TM04, T=0.15mm	Au/50u"Ni Min.
2	Top Contact	8	C7025 TM04, T=0.15mm	Au/50u"Ni Min.
1	Housing	1	LCP or PA	UL 94 V-0

 深圳市兴烨电子有限公司
ShenZhen Xing Ye Electronics co., Ltd

TOLERANCE		
X.X ±0.30	X°. ±2°	APPD: 陈爱光
.XX ±0.20	.X° ±1°	CHED: 施立敏
.XXX ±0.10	.XX° ±0.5°	DRAW: 马洪飞
UNITS	mm	

Series Name :

Product Name :	TYPE-CF-16P板上四脚插L6.5 不锈钢304高导铜黑胶无柱带弹编带
----------------	---

Part N0:	UCY27635
----------	----------

	SCALE	SHEET	REV.
	1:1	1/1	A1

REV.		ECN NO.		DESCRIPTION		DRAW		APPD.		DATE	
A		---									

L6.5双弹片

3D View(L6.5)

RECOMMENDED PCB LAYOUT
TOP VIEW, TOL±0.05mm

无定位柱

受控文件

				Series Name :							
ShenZhen Xing Ye Electronics co., Ltd				Product Name : TYPE-CF-16P板上四脚插L6.5 不锈钢304高导电黑胶无柱带弹编带							
TOLERANCE				Part NO: UCY27635							
X.X ±0.30		X° ±2°		APPD: 陈爱光		SCALE		SHEET		REV.	
.XX ±0.20		.X° ±1°		CHED: 施立敏		1:1		1/1		A1	
.XXX ±0.10		.XX° ±0.5°		DRAW: 马洪飞							
UNITS		mm									

1		2		3		4		5		6		7	
A		B		C		D		E		A		B	
1		2		3		4		5		6		7	
A		B		C		D		E		A		B	
1		2		3		4		5		6		7	
A		B		C		D		E		A		B	

